N G Medicare L Calcutta Hope Infertility Clinic

123 A, Rashbehari Avenue, Kolkata - 700 029, Ph : 2464 0230 / 6625, 2463 1376 e-mail:ngmedicare@ngind.com Website :www.ngmedicare.in

Date

31.01.2019

To,
The Environmental Engineer, (Camc st. R.O)
West Bengal Pollution Control Board,
Minority Bhawan 5th Floor,
Kolkata 700 027,

Sub:-Submission of Bio-Medical waste ANNUAL return for 2018.

Dear Sir,

With reference to the above we are submitting the ANNUAL report of Bio-Medical waste from JANUARY 2018 to DECEMBER 2018 for your records.

Please receive and oblige.

Thanking You,

Yours faithfully,

N G Medicare & Calcutta Hope Infertility Clinic.
(A Division of N G Industries ltd)

1- Mu-1

(Rajesh Goenka) Director

West Rengal Politilion Control Board ্ঞান্ত্র Street Regional Olies

RECEIVED

. 3 1 JAN 2519

But Content Not Wertherl Minc, by Shaban, 5th Fleer Alipore, Kolkata-700027 7

Form – IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.	Particulars		
No.			
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier	:	RAJESH GOENKA
	or : operator of facility)		C DIRECTOR)
	(ii) Name of HCF or CBMWTF	:	NG MEDICARE & CALCUTTA HOPE INFERTILITY OF NG INDUSTRIES 123A RASHBEHARI AYENUE KOL-700029
	(iii) Address for Correspondence	:	1234 BURNE KOL- 400056
	(iv) Address of Facility	:	SAME AS ABOVE
	(v)Tel. No, Fax. No	:	033 - 2464 - 0230
	(vi) E-mail ID	:	mamedicare emaind com
	(vii) URL of Website	:	WWW. namedicare. in
	(viii) GPS coordinates of HCF or CBMWTF	:	LATITUDE - 22-51879719 LONGITUDE -88-35891187
		1:	(State Government or Private or Semi Govt.
	(ix) Ownership of HCF or CBMWTF		or any other) PUBLIC LTD.
	(x). Status of Authorization under the Bio-	T:	Authorisation No.: D0012068
	Medical	`	MEMONO - OILWBPCB-RO-TIBMW 157/20
	Waste (Management and Handling) Rules		Valid upto: 31, 12, 2023
	(xi). Status of Consents under Water Act and	:	Valid upto: ৪৮/৪০ ২০২3
.:	Air	•	CONSENT NO- CO118944
	Act	1	MEMO NO - 01/WBPCB - RO-II 0/1732/20
2	Type of Health Care Facility	:	114.01-0 10 11/10/11/04/10
	(i) Bedded Hospital	: 	No. of Beds: 08 DAY CARE
	(ii) Non-bedded hospital	:	
	Clinical Laboratory or Research Institute or		CLINICAL LABORATORY
	Veterinary Hospital or any other)	1	THE PHOUSE TORY
	(iii) License number and its date of expiry		34215682 VALID UPTO - 12/01/20
3	Details of CBMWTF	 : 	27213602 YACIV UP 10 - 12101140
<u> </u>	(i) Number of health care facilities	 	1.10
	covered by CBMWTF	'	NA
			NA
	(ii) No. of Beds covered by CBMWTF	:	NA Ka / day
	(iii) Installed treatment and disposal	•	Kg / day
A	capacity of CBMWTF;		- Ka / day
	(iv) Quantity of bio medical waste	 :	Kg / day
4	treated or disposed by CBMWTF		Yellow Category: 221.12 KG
4	Quantity of waste generated or disposed in	:	
	Kg per Annum (on monthly average basis)		Red Category: 265. 40 KG
			White: 12.79 kg
			Blue Category: 0.41 KG
5	Details of the Storage, Treatment, Transportat		General Solid Waste: 490 K. 67

	facility			Capacity: 2					4
				Provision of on-site storage: (Cold storage or any other provision) HAND OVER TO MEDIC ENVIRONMENTAL IN					nc
	(ii)	Disposal facilities	+	any other prov	ision) ' (EUA	ROND	PHIAL	
	(")	Dispusal facilities						Quantity Treatedor	t
							ı	reateoor disposed	
				Type of	1		- 1	n kg	
				treatment	No of	Capac	- 1	n kg Der	
	,			equipment	Units	Kg/da		nnum	
				Incinerators			, ,		1
		•		Plasma	 	 			1
				Pyrolysis					
				Autoclaves	 				1
				Microwave	<u> </u>			·	1
		•		Hydroclave		 			1
			1	Shredder		 			1
	}			Needle tip					1
	1		1	cutter or	1		}		
	1			destroyer	1				
				Sharps					
				Encapsulation					
	1			or concrete		}			
				pit				· · · · · · · · · · · · · · · · · · ·	
	1	•		Deep burial					
		•		pits					
		*		Chemical					
				disinfection:					1
			1.	Any other					
				treatment					
			<u> </u>	equipment:		<u> </u>			4
	(iii)	Quantity of recyclable wastes	:	Red Category (-	_			
		sold to authorized recyclers after		NO SALE	13 W	ADE (OF?	NASTE	
	/:\	treatment in Kg per annum	 . 	VENIOLEO II	1900	200 -	210:1		-
	collection and trans	No. of Vehicles used for	:	YEHICLES I	マンカ ロショウ	77 MC	ンシャゥ	NE ENY	اما
		biomedical waste		MASTE IS DONE BY MEDICARE ENVIR MANAGEMENT PVT. LTD.					
	1,1	Details of incineration ash and	-	NO INCINERA			Whe	ro	+
	(v)	ETP sludge generated and	}	NO ETP.	Genera		dispo	-	
		disposed during the treatment of		Incineration	Jener	ateu	uispt	/seu	
	•	wastes in Kg per annum		Ash	1				1
				ETP Sludge	-				1
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(vi) Name of the Common Bio- Medical Waste Treatment Facility	 	MEDICARE	EUNIB	DNWE	NTAI	l.	1
				MANAGEMENT PYT LTD.					
		Operator through which wastes		41 F' ROAS					
		are disposed of	1	1,1,1601)	יום בו	ے ۱۱۱ ک	-11 11	1-1010-5	711
	(vii)	List of member HCF not handed	†						1
	,	over bio-medical waste.							
	Do vou ha	ave bio-medical waste	†	MANAGER	LEA	050	bec	SHULLES E	\$
	management committee? If yes, attach minutes of the meetings held during the			TEAM		_	1 -	. , (10 - 1 -	
				(CAN	,				
	1	period	1	1					

 1	

7	Details trainings conducted on BMW	
	(i) Number of trainings conducted	04 NO YEARLY
	on BMW Management	OTIVO YENKLY
	(ii) Number of personnel trained	08 PERSON 3
	(iii) Number of personnel trained at	ON A GOING BASIS ALL ARE
	the time of induction	PROVIDED ORIENTATION.
	(iv) Number of personnel not	NONE IN THE DEPARTMENTS
	undergone any training so far	WHICH ARE CONCERNED.
	(v) Whether standard manual for	
	training is available?	SOP POSTER ARE AVAILABLE
8	Details of the accident occurred during the	
	year	
	(i) Number of Accidents occurred	MILL
	(ii) Number of persons affected	NILI
	(iii) Remedial Action taken (Please	NILL
	attach details if any)	111 = -
	(iv) Any Fatality occurred, details	NILL
9	Are you meeting the standards of air	NA
	Pollution from the incinerator? How	107
	many times in last year could not met	•
	the standards?	
	Details of Continuous online emission	
	monitoring systems installed	NA
10	Liquid waste generated and treatment	COLLECTED IN BUNCH WITH 1%
	methods in place. How many times you	BLEECHING POWDER SOLUTION & DISC
	have not met the standards in a year?	THROUGH DRAIM.
11	Is the disinfection method or	•
	sterilization meeting the log 4	ONLY SHARP ITEMS ARE DISINE
	standards? How many times you have not	USING 11. SODIUM HYPOCLORIDE
	met the standards in a year?	SOLUTION.
12	Any other relevant information	(Air Pollution Control Devices attached with
		the Incinerator)

Certified that the above report i	s for the period from	
,	JANUARY 2018	TO DECEMBER 2018
	•	CTAN G MEDICARE & CALCUTTA HOPE
		NFERTILITY CLINIC Prop. N. G. INDUSTRIES LTD.
		1-Un-1.
		Director

Name and Signature of the Head of the Institution

Date:

Place: