N G Medicare & Calcutta Hope Infertility Clinic



123 A, Rashbehari Avenue, Kolkata - 700 029, Ph. : 2464 0230 / 2463 1376 Website: www.ngmedicare.in e-mail:ngmedicare@ngind.com

> Date 12.02.2020

Kolnata To, The Environmental Engineer, (Camc st. R.O) West Bengal Pollution Control Board, Minority Bhawan 5th Floor, plan Square. Kolkata 700 027, 5 4

Sub: - Submission of Bio-Medical waste ANNUAL return for 2019.

Dear Sir,

With reference to the above we are submitting the ANNUAL report of Bio-Medical waste from JANUARY 2019 to DECEMBER 2019 for your records.

Please receive and oblige.

Thanking You,

Yours faithfully,

N G Medicare & Calcutta Hope Infertility Clinic. (A Division of N G Industries ltd)

(Rajesh Goenka)

1- 1 min

Director

Can Cartrol Board end Office SYED

and Not Verified Mani Square, 8th Floor 164/1, M.M.Road, Kolkata-54

Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.	Particulars		
No.		1	
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person	:	RAJESH GOENKA
	(occupier or operator of facility)		(DIRECTOR)
	(ii) Name of HCF or CBMWTF	:	NG MEDICARE & CALCUTTA HOPE INFERTILLY CUNIC.
	(iii) Address for Correspondence	. :	123 A RASH BEHARI AVENUE KOIKATA 700029
	(iv) Address of Facility		SAME AS ABOVE
	(v)Tel. No, Fax. No	:	033 2464-0230
	(vi) E-mail ID	:	agradic englis co in
	(vii) URL of Website		WWW. mgmedicore in LATTUDE - 22.51879719
	(viii) GPS coordinates of HCF or		LATITUDE - 22. 51879719
	CBMWTF	ļ	LONGITUDE - 86 35891187
	(ix) Ownership of HCF or CBMWTF	1:	(State Government or Private or
	(v) Status of Authorization and other		Semi Govt. or any other) PUBLIC LTO.
	(x). Status of Authorization under the Bio-Medical Waste (Management and		Authorization No.: 000/2068 MEMO. NO.:- ON INBREB - 1/BMW/57/2002
	Handling) Rules		valid up to 31:12:2023
ě	(xi). Status of Consents under Water Act		Valid up to: 31. 12. 2023
	and Air		CONSENT NO- COURA 44
	Act		MEMO NO- OHLYBECG-RO-7/0/1732/20
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital		No. of Beds: . 9.8 DAY CARE
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical		CLIMICAL LABORATORY
	Laboratory or Research Institute or		
	Veterinary		
	Hospital or any		
	other)	1	
	(iii) License number and its date of		34215682 VALID UPTO-12/01/2022
-	expiry		10.151.26.95 6.151.0 04.10.1510114057
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities CBMWTF	: .	NA
	(ii) No of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF:		Kg per day

	(iv) Quantity of biomedical waste treated or disposed	:	Kg/day
	by CBMWTF		
	Quantity of waste generated or disposed	:	Yellow Category 117 146:
	in Kg per annum (on monthly average		Red Category: 263 KG
,	basis)	1	White: 14.75 KG
	Udsis)		
		j	
		L	General Solid waste: 4 70 K-63
	Details of the Storage, treatment, transpo	rtatioi	
1	(i) Details of the on-site storage	:	Size : 10' X10'
	facility		Capacity: 2 DAYS C48 HOURS)
	4	ļ	Provision of on-site storage : (cold storage or
-		<u> </u>	any other provision) HAND OVER TO MEDICARE ENVIRONME
1	(ii) Details of the treatment or	:	
	disposal facilities	1	equipment of treatedo
		1	unit y r
		ĺ	s Kg/ disposed
	•	1	day in kg per
	!	!	annum
		į.	
	-		Incinerators
		i	
			Plasma Pyrolysis
	•	ĺ	Autoclaves
	1	1	Microwave
	• 1	1 -	. Hydroclave
		1	Shredder
	I		Needle tip cutter or
-	!	1	destroyer
	į	1	Sharps
1	1	1	encapsulation or -
	•	!	-concrete pit
	,	1	Deep burial pits:
	1	1	
		1	Chemical
		í	disinfection:
			Any other treatment
		Í	equipment:
	(iii) Quantity of recyclable wastes	;	Red Category (like plastic, glass etc.)
	sold to authorized recyclers after	į .	NO SALE IS MIRDE OF WASTE
	treatment in kg per annum.	; 	
£	(iv) No of vehicles used for collection	· ·	VEHICLES USED FOR PICK UP OF WASTE IS
	and transportation of biomedical	· .	DONE BY MEDKARE ENVIRONMENTAL MANAGEMEN
1	•	. /	DYT L.CO.
ļ_	waste	······································	
t	(v) Details of incineration ash and	į.	No Incine an raphantity Where
	ETP sludge generated and disposed		MO ETP generated disposed

1.

	during the treatment of wastes in Kg	Incineration Ash
	per annum	ETP Sludge
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	MEDICARE ENVIRONMENTAL MANAGEMENT DV
	(vii) List of member HCF not handed over bio-medical waste.	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	MANAGER LEADS OPERATIONS TEAM.
7	Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management.	04 NOS YEARLY
	(ii) number of personnel trained	08 PERSONS
	(iii) number of personnel trained at	ON A GOING BASIS ALL ARE PROVIDED
	the time of induction	ORIENTATION.
	(iv) number of personnel not undergone any training so far	NONE IN THE DEPARTMENTS WHICH
	(v) whether standard manual for training is available?	SOP / POSTER ARE AVAILABLE.
w.v.	(vi) any other information)	
8	Details of the accident occurred during the year	
**	(i) Number of Accidents occurred	NILL
	(ii) Number of the persons affected	NILL
	(iii) Remedial Action taken (Please attach details if any)	MILL
	(iv) Any Fatality occurred, details.	MILL
9.	Are you preeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NW
A-Verlander	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	COLLECTED IN BUNCH WITH IT BLEEDING BLEECHING CONDER SOUTION & DISCHARME THROUGH ORAIN. NONE
11	ls the disinfection method or	ONLY SHARP ITEMS ARE DISINIFECT VSING
,	sterilization meeting the log 4	14. SOBTUM HYPOCLORIDE SOLUTION,

LTI

	standards? How many times you have		
	not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from	
JANUARY-2019 TO S	ECEMBER-2019
O C	FOR N G MEDICARE & CALCUTTA HOPE
	INFERTILITY CLINIC
•	Prop: N G INDUSTRIES LTD.
	1. Nant
•	Name and Signature of the Head of the Institution

Date: 12 | 02 | 2020 Place