

%



23, SOUTHERN AVENUE, KULKATA-10022, Trans-22-6
Email: ngnh@ngind.com • Website : http://www.ngmedicare.if
Hospital Unique ID No : 8900080234161

DATE:-18/02/2021

To,
CHEIF ENGINEER O & E
WEST BENGAL POLLUTION CONTROL BOARD
10A LA BLOCK,SECTOR III,
BIDHANNAGAR
KOLKATA-700106

Subject

: Submission of Bio-Medical Waste

Annual Report of 2020.

Reference:- Bio Medical Waste (Management & handling)

Rules, 1998 Consent to Operate Memo No.

163-CM -CO-B-12-0023.

Dear Sir,

With reference to the above we are submitting of Bio-Medical Waste Annual Report for 2020.

Please receive and oblige

Thanking You, Your's faithfully,

For N G Nursing Home. (A division of N G Industries Itd.)

Rajesh Goenka (Director)

6-Ulus



## Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

T	Particulars		
5.			
-	Double on love of the Uccubici	:	RAJESH GIOENKA
-	(i) Name of the authorised person (occupier or	:	RAJESHOTOR
	operator of facility)		DIRECTION OF NG IND
- 1	(ii) Name of HCF or CBMWTF	N	GNURSING HOME (ADIV. of NG INITAL)
-	(iii) Address for Correspondence	: 22	G NURSING HOME (A) IV. OF TR SOUTHERN AVENUE, KOLKATA-26.
-	(III) Address for Correspond		SAME AS ABOVE
	(iv) Address of Facility		633 - 2463 - 7273
1	(v)Tel. No, Fax. No	<u>:</u> -	nguh @ ngind. com
1	(vi) E-mail ID	·	Man Isa
ľ	(vii) URL of Website		LATITUDE: 22:51443017
1	(viii) GPS coordinates of HCF or CBMWTF		LONGI TODE DELVITO OF
	(ix) Ownership of HCF or CBMWTF	:	Comi Covt or any other) PUBLIC
			Authorisation   No.   No
	(x). Status of Authorisation under the Bio-Medical	:	164 - CM - BW - B - 18 - 0043
	Waste (Management and Handling) Rules		164 - CM - BW - B - 73   68   2023
			Valid up to: 31 08 2023
	(xi). Status of Consents under Water Act and Air	;	163 - CM - CO - B - 12 - 0023
	Act		163 - CK1 - CC
	Type of Health Care Facility	:	No. of Beds:53 NOS.
•	(i) Bedded Hospital	:	No. of Beds
	(ii) Non-bedded hospital	:	_
	**		
	(Clinic or Blood Bank or Clinical Laboratory or		
	Research Institute or Veterinary Hospital or any	İ	
	other)	ļ	34223493 VALIO TILL 2/8/202
	(iii) License number and its date of expiry		34223493 VALID TILL 21012
		:	NA
3.	Details of CBMWTF  (i) Number healthcare facilities covered by	1:	7
	(1) (14411100)		
	CBMWTF	1:	
	(ii) No of beds covered by CBMWTF		Kg per day
	(iii) Installed treatment and disposal capacity of		

/									
Quantity of biomedical waste treated	or dis	posed	: =	Kg	/day				
							1.1.01/1	enmonth	
entity of waste generated of disposed	l in K	Cg per	: }	ellow C	ategory		34641/1	e note of the	
4. Quantity of annum (on monthly average basis)			F	led Categ	gory :	279	· 58/Pe	month.	
annum			7	Vhite:	70.0	819	Penmo kg/Pe	with 4	
			E	Blue Cate	gory:	16.60	kg/Pe.	month.	
				General S	olid wa	iste: 7	50 kg/	Pen month.	
Details of the Storage, treatment, transpor	rtation	process							
(i) Details of the on-site storage	·	Size	1.1	51 X 1	101			ĺ	
(1)	.				/	1.0 1	HOURS)	1	
facility		Capacity	y: 2	DA'	X5 (	48 1	10000	POLOURCOTA	
		Provisio	n of c	n-site st	orage	: (col	LANDOVE	TO	
		any other	er provi	sion)	NTAI	NEK	ENGI. 1	e oldurcote r to 14NG.PVT.L1	
(ii) Details of the treatment or	:	Туре	of treat	ment M	FNSIG	Cap	Quantity		
disposal facilities		equip	ment		of	acit	treatedo		
disposar facilities					unit	У	r		
*					S	Kg/	disposed		
						day	in kg		
							per		
							annum	1	
		Incin	erators					1	
		na Pyro	lysis						
	. A			Autoclaves					
								ř.	
			owave oclave						
		Shre						İ	
		Needle tip cutter or S 100.							
			oyer	attor or	<b>.</b>	•			
		Shar						i	
				on or		-			
			psulatio						
			rete pit						
			p burial	pits.					
		***************************************	mical			-			
			nfection					İ	
		1		reatment					
		equ	pment:		<del></del>				
(iii) Quantity of recyclable wastes	:	Red C	ategory	(like pla	stic, gl	ass etc.	) 	<b>-</b> h	
sold to authorized recyclers after		NO	CA	15 15	SMA	DE (	F WAS	16	
treatment in kg per annum.		1,0	۱۱۱	<b>—</b> — — —			- 77 60	IETA DIY	
(iv) No of vehicles used for collection	:	DED	ICAT	ED 1	EHI	cles	ORGAN	1300 01	
of biomedical		MIGI	MLAR	E EN	IVIRO	NME	NIAL	İ	
		MAN	JAM	EMEN	IT	PVT	1/hara		
waste		NO IN	CINE	RARIO	Mity	V	Vhere		
(v) Details of incineration ash and					erated	d	isposed		
ETP sludge generated and disposed	لــــــــــــــــــــــــــــــــــــــ	NO E	JP.						

	during the treatment of wastes in Kg		Incineration
1	during the treatment		Ash NO
1	per annum		ETP Sludge
1.		-	MEDICARE ENVIRONMENTAL MANAGEMENT
10			OUT ITO
N	Medical Waste Treatment Facility		PVT. LTD.
C	Operator through which wastes are		LI'E' ROAD, BELGIACHIM, HOWAIN
d	lisposed of		PVT. LTD. 41'F' ROAD, BELGACHIA, HOWRAH - 71105 MANAGER LEADS OPERATIONS TEAM
10	vii) List of member HCF not handed		MANAGIEK LEADS OPENATION
,	was bio-medical waste.	-7	
1	Do you have bio-medical waste		
1.	annuagement committee? If yes, attach		
ı	minutes of the meetings held during		
١.	the reporting period		
-	Details trainings conducted on BMW		11.2.2.0.1.V
-	(i) Number of trainings conducted on		3 NO. YEARLY
	BMW Management.		
-	(ii) number of personnel trained		ON A GIOING BASIS ALL ARE
-	(iii) number of personnel trained at		ON A GIOING BILLITATION.
	the time of induction		PROVIDED ORIENTATION.  NONE OF THE DEPARTMENT WHICH
-	(iv) number of personnel not		LILATE ACTION DELLA
	undergone any training so far		ARE CONCERNED.
	(v) whether standard manual for		i
	training is available?		The second control of the second control of
	(vi) any other information)		The state of the s
0	Details of the accident occurred		
8 -	during the year		
	(i) Number of Accidents occurred		NILL
	(ii) Number of the persons affected		NILL
	(iii) Remedial Action taken (Please		NILL
	attach details if any)		The second secon
	(iv) Any Fatality occurred, details.		NILL
	Are you meeting the standards of air		
9.	Pollution from the incinerator? How		NA
	many times in last year could not met		
	the standards?		
	Details of Continuous online emission		NA
	monitoring systems installed		NA DICCOMIN
	- roted and treatment		· COLLECT IN BUNCH WITH 1% BLEECHIN
10	methods in place. How many times		POWDER SOLUTION ESTISCHINGE
	you have not met the standards in a		THROUGH KMC DRAINS.
	year?		ONLY SHARP ITEM ARE DISINFECTED
11	15 the distilled		USING 1% SODIUM HYPOCLORIDE SOLUTIO
	sterilization meeting the log 4		D> (NO)

	the had with the
:	(Air Pollution Control Devices attached with the Incinerator) No
-	:

Certified that the above repor	t is for the period from JANUARY 2020	To :	DECEMBER	2020.
	20019.07			

Name and Signature of the Head of the Institution

Date: 17.02.2021 Place KOLKATA For N G Nursing Home (Prop:-N G Industries Ltd.)

RAJESH GOENKA